## CERTIFIED RECORD OF LAND CORNER MONUMENTATION

History of Original corner establishment:

DIAGRAM T14S R44E 1/4 S 13 S 24 1997 BAKER COUNTY SURVEYOR

The original corner was set by Henry W. Cooke under GLO contract no. 427, dated December 15, 1881, as part of a subdivisional survey of T. 14 S., R. 44 E., W.M.

The original GLO notes state: Set a basalt stone 14x10x6 ins. 9 ins. in the ground for 1/4 sec. cor. marked 1/4 on N. face, dug pits and raised a mound of earth 11/2 ft. high, 31/2 ft. base alongside.

## Description of corner evidence found:

Found a basalt stone 14"x10"x6" set firmly in the ground marked with a 1/4 on the North face of the stone. Also found a 1/2" i.d. galvanized pipe of unknown origin set firmly in the ground N. 4° E., 0.45' from the true corner position as determined by the original corner stone. The pipe was driven flush to ground level.

## Description of monument and accessories I established to perpetuate the original location of the corner

At the position of the found corner stone set a  $1\frac{1}{4}$ " x 30" galvanized pipe with a  $2\frac{1}{4}$ dia. brass cap 24" into the ground with a steel fence post alongside. The brass cap is marked as shown in the corner diagram. The original corner stone was buried 1 ft. North of the new monument.

Corner monument references: Four 1" x 21/2" magnets encased in plastic were set 6" below the ground. From the corner monument:

A silver magnet mkd. "I" bears N. 581/2° E., 11.1 ft. dist. A pink magnet mkd "2" bears S. 39° E., 7.6 ft. dist. A blue magnet mkd. "3" bears S. 581/2° W., 10.7 ft. dist. A orange magnet mkd. "4" bears N. 39° W., 11.2 ft. dist.

Staff compass declination: 13°. Reference survey see CS 14-44-18

I James D. Hanley certify that this corner was properly monumented as witnessed by Larry McBroom on August 19, 1997.

BAKER COUNTY SURVEYOR

Renews June 30, 1999

REGISTERED PROFESSIONAL LAND SURVEYOR

anes of, Home

OREGON SEPTEMBER 23, 197 JAMES D. HANLEY 1206

10-79-97

FILED OCT. 29, 1997

SURVEY NO. 14-44-23